



Fluid, Fyrite, CO2, 20% and 60%; Fluid Fyrite, CO2, 7%

This document replaces SDS 0099-0006 and 0099-0007 for the European Union
Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of Issue: 07/12/2020

Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Form : Mixture
Product Name : Fluid, Fyrite, CO2, 20% and 60%; Fluid Fyrite, CO2, 7%

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial.
For professional use only.
Use of the substance/mixture : Industrial. For professional use only.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Company

Bacharach, Inc.
621 Hunt Valley Circle
New Kensington, PA 15068
724-334-5760

www.mybacharach.com
msdsr@mybacharach.com

Canada:

Bacharach of Canada Inc.
10 West Pearce Street, Unit 4
Richmond Hill, Ontario LB4 1B6
(800)- 328-5217

1.4. Emergency telephone number

Emergency number : 800-424-9300 (CHEMTREC)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification According to Regulation (EC) No. 1272/2008 [CLP]

Met. Corr. 1 H290
Acute Tox. 4 (Oral) H302
Skin Corr. 1A H314
Eye Dam. 1 H318

Full text of hazard classes and H-statements : see section 16

2.2. Label elements

Labelling According to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) : Danger

Hazard statements (CLP) : H290 - May be corrosive to metals.
H302 - Harmful if swallowed.
H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P234 - Keep only in original packaging.
P260 - Do not breathe mist, vapor, or spray.
P264 - Wash hands, forearms and face thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Fluid, Fyrite, CO₂, 20% and 60%; Fluid Fyrite, CO₂, 7%

This document replaces Bacharach MSDS reference 0099-0006 and 0099-0007

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER or doctor.
P321 - Specific treatment (see supplemental first aid instruction on this label).
P330 - Rinse mouth.
P390 - Absorb spillage to prevent material damage.
P405 - Store locked up.
P406 - Store in a corrosion-resistant container with a resistant inner liner.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

PBT: not relevant – no registration required

vPvB: not relevant – no registration required

Other hazards not contributing to the classification : Exposure may aggravate pre-existing eye, skin, or respiratory conditions. May be corrosive to respiratory tract.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification According to Regulation (EC) No. 1272/2008 [CLP]
Water	(CAS-No.) 7732-18-5 (EC-No.) 231-791-2	77,37 – 91,41	Not classified
Potassium hydroxide	(CAS-No.) 1310-58-3 (EC-No.) 215-181-3 (EC Index-No.) 019-002-00-8	7,98 – 21,81	Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314 Met. Corr. 1, H290
Alcohols, C7-9-iso-, C8-rich	(CAS-No.) 68526-83-0 (EC-No.) 271-231-4	0,51 – 0,6	Skin Irrit. 2, H315 Eye Irrit. 2, H319
C.I. Acid Red 14	(CAS-No.) 3567-69-9 (EC-No.) 222-657-4	0,0077 – 0,0091	Not classified
2-Naphthalenol, 1-[[4- [[dimethylphenyl]azo]dimethylphenyl]azo]-	(CAS-No.) 1320-06-5 (EC-No.) 215-295-3	0,0001 – 0,00012	Not classified

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Potassium hydroxide	(CAS-No.) 1310-58-3 (EC-No.) 215-181-3 (EC Index-No.) 019-002-00-8	(0,5 ≤C < 2) Skin Irrit. 2, H315 (0,5 ≤C < 2) Eye Irrit. 2, H319 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C < 100) Skin Corr. 1A, H314

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

First-aid measures after skin contact : Remove contaminated clothing. Immediately flush skin with plenty of water for at least 60 minutes. Wash contaminated clothing before reuse. Get immediate medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for at least 60 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

Fluid, Fyrite, CO₂, 20% and 60%; Fluid Fyrite, CO₂, 7%

This document replaces Bacharach MSDS reference 0099-0006 and 0099-0007

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage.
Symptoms/effects after inhalation	: May be corrosive to the respiratory tract.
Symptoms/effects after skin contact	: Causes severe irritation which will progress to chemical burns.
Symptoms/effects after eye contact	: Causes permanent damage to the cornea, iris, or conjunctiva.
Symptoms/effects after ingestion	: This material is harmful orally and can cause adverse health effects or death in significant amounts. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.
Chronic symptoms	: None expected under normal conditions of use.

4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray, dry chemical, foam, carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Not considered flammable but may burn at high temperatures.
Explosion hazard	: Contact with metallic substances may release flammable hydrogen gas.
Reactivity	: May be corrosive to metals. Contact with metals may evolve flammable hydrogen gas. May react exothermically with water releasing heat. Adding an acid to a base or base to an acid may cause a violent reaction.
Hazardous decomposition products in case of fire	: Potassium oxides. Carbon oxides (CO, CO ₂). Nitrogen oxides. Sodium oxides. sulfur oxides. Toxic fumes may be released.

5.3. Advice for firefighters

Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray.
------------------	---

6.1.1. For non-emergency personnel

Protective equipment	: Use appropriate personal protective equipment (PPE).
Emergency procedures	: Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions.
Methods for cleaning up	: Clean up spills immediately and dispose of waste safely. Cautiously neutralize spilled liquid. Absorb spillage to prevent material damage. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	: May be corrosive to metals. May release corrosive vapors.
-----------------------------------	---

Fluid, Fyrite, CO₂, 20% and 60%; Fluid Fyrite, CO₂, 7%

This document replaces Bacharach MSDS reference 0099-0006 and 0099-0007

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautions for safe handling : Do not breathe vapors, mist, spray. Do not get in eyes, on skin, or on clothing. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Handle empty containers with care because they may still present a hazard.

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store in original container or corrosive resistant and/or lined container. Storage areas should be periodically checked for corrosion and integrity.

Incompatible materials : Strong acids, strong bases, strong oxidizers. Metals.

Packaging materials : Store in corrosive resistant container with a resistant inner liner.

7.3. Specific end use(s)

Industrial. For professional use only.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Potassium hydroxide (1310-58-3)		
Austria	MAK Daily average value (mg/m ³)	2 mg/m ³ (inhalable fraction)
Bulgaria	OEL TWA (mg/m ³)	2 mg/m ³
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m ³)	2 mg/m ³
France	VLE [mg/m ³]	2 mg/m ³
Greece	OEL TWA (mg/m ³)	2 mg/m ³
Greece	OEL STEL (mg/m ³)	2 mg/m ³
USA ACGIH	ACGIH Ceiling (mg/m ³)	2 mg/m ³
Spain	VLA-EC (mg/m ³)	2 mg/m ³
Switzerland	MAK (mg/m ³)	2 mg/m ³ (inhalable dust)
United Kingdom	WEL STEL (mg/m ³)	2 mg/m ³
Czech Republic	Expoziční limity (PEL) (mg/m ³)	1 mg/m ³
Denmark	Grænseværdi (loftværdi) (mg/m ³)	2 mg/m ³
Estonia	OEL TWA (mg/m ³)	2 mg/m ³
Finland	OEL Ceiling (mg/m ³)	2 mg/m ³
Hungary	AK-érték	2 mg/m ³
Hungary	CK-érték	2 mg/m ³
Ireland	OEL (15 min ref) (mg/m ³)	2 mg/m ³
Norway	Grenseverdier (Takverdi) (mg/m ³)	2 mg/m ³
Poland	NDS (mg/m ³)	0,5 mg/m ³
Poland	NDSCh (mg/m ³)	1 mg/m ³
Sweden	nivågränsvärde (NVG) (mg/m ³)	1 mg/m ³ (inhalable fraction)
Sweden	kortidsvärde (KTV) (mg/m ³)	2 mg/m ³ (inhalable fraction)
Portugal	OEL - Ceilings (mg/m ³)	2 mg/m ³

8.2. Exposure controls

Appropriate engineering controls : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Fluid, Fyrite, CO₂, 20% and 60%; Fluid Fyrite, CO₂, 7%

This document replaces Bacharach MSDS reference 0099-0006 and 0099-0007

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Personal protective equipment : Gloves. Protective clothing. Protective goggles. Face shield. Insufficient ventilation: wear respiratory protection.



Materials for protective clothing : Chemically resistant materials and fabrics. Corrosion-proof clothing.

Hand protection : Wear protective gloves.

Eye and Face Protection : Chemical safety goggles and face shield.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other information : When using, do not eat, drink or smoke.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Red
Colour	: No data available
Odour	: No data available
Odour threshold	: No data available
pH	: 13 – 14
Evaporation rate	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Viscosity	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

May be corrosive to metals. Contact with metals may evolve flammable hydrogen gas. May react exothermically with water releasing heat. Adding an acid to a base or base to an acid may cause a violent reaction.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Direct sunlight, extremely high or low temperatures, and incompatible materials.

Fluid, Fyrite, CO2, 20% and 60%; Fluid Fyrite, CO2, 7%

This document replaces Bacharach MSDS reference 0099-0006 and 0099-0007

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizers. Metals.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Harmful if swallowed.

Fluid, Fyrite, CO2, 20% and 60%; Fluid Fyrite, CO2, 7%

ATE CLP (oral)	1.302,15 mg/kg bodyweight
----------------	---------------------------

C.I. Acid Red 14 (3567-69-9)

LD50 oral rat	> 10 g/kg
---------------	-----------

Alcohols, C7-9-iso-, C8-rich (68526-83-0)

LD50 oral rat	> 2000 mg/kg
---------------	--------------

LD50 dermal rabbit	> 2623 mg/kg
--------------------	--------------

Potassium hydroxide (1310-58-3)

LD50 oral rat	284 mg/kg
---------------	-----------

LD50 oral	273 mg/kg
-----------	-----------

Skin corrosion/irritation	: Causes severe skin burns. pH: 13 – 14
Serious eye damage/irritation	: Causes serious eye damage. pH: 13 – 14
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)

C.I. Acid Red 14 (3567-69-9)

IARC group	3
------------	---

Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Symptoms/Injuries After Inhalation	: May be corrosive to the respiratory tract.
Symptoms/Injuries After Skin Contact	: Causes severe irritation which will progress to chemical burns.
Symptoms/Injuries After Eye Contact	: Causes permanent damage to the cornea, iris, or conjunctiva.
Symptoms/Injuries After Ingestion	: This material is harmful orally and can cause adverse health effects or death in significant amounts. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.
Chronic Symptoms	: None expected under normal conditions of use.
Potential adverse human health effects and symptoms	: Harmful if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Not classified.

Alcohols, C7-9-iso-, C8-rich (68526-83-0)

LC50 fish 1	14 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
-------------	---

Fluid, Fyrite, CO2, 20% and 60%; Fluid Fyrite, CO2, 7%

This document replaces Bacharach MSDS reference 0099-0006 and 0099-0007

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.2. Persistence and degradability

Fluid, Fyrite, CO2, 20% and 60%; Fluid Fyrite, CO2, 7%

Persistence and degradability Not established.

12.3. Bioaccumulative potential

Fluid, Fyrite, CO2, 20% and 60%; Fluid Fyrite, CO2, 7%

Bioaccumulative potential Not established.

Potassium hydroxide (1310-58-3)

Partition coefficient n-octanol/water (Log Pow) 0,65

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Fluid, Fyrite, CO2, 20% and 60%; Fluid Fyrite, CO2, 7%

PBT: not relevant – no registration required

vPvB: not relevant – no registration required

12.6. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.






Additional information : Container may remain hazardous when empty. Continue to observe all precautions.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
1814	1814	1814	1814	1814
14.2. UN proper shipping name				
POTASSIUM HYDROXIDE SOLUTION	POTASSIUM HYDROXIDE SOLUTION	Potassium hydroxide solution	POTASSIUM HYDROXIDE SOLUTION	POTASSIUM HYDROXIDE SOLUTION
14.3. Transport hazard class(es)				
8	8	8	8	8
				
14.4. Packing group				
II	II	II	II	II
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

Fluid, Fyrite, CO2, 20% and 60%; Fluid Fyrite, CO2, 7%

This document replaces Bacharach MSDS reference 0099-0006 and 0099-0007

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Fluid, Fyrite, CO2, 20% and 60%; Fluid Fyrite, CO2, 7% ; Alcohols, C7-9-iso-, C8-rich
--	---

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Water (7732-18-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

C.I. Acid Red 14 (3567-69-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

2-Naphthalenol, 1-[[4-[(dimethylphenyl)azo]dimethylphenyl]azo]- (1320-06-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Alcohols, C7-9-iso-, C8-rich (68526-83-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Potassium hydroxide (1310-58-3)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Date of Preparation or Latest Revision : 7/12/20

Data sources : Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.

Other information : According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full Text of H- and EUH-statements:

Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Indication of Changes No additional information available

Fluid, Fyrite, CO₂, 20% and 60%; Fluid Fyrite, CO₂, 7%

This document replaces Bacharach MSDS reference 0099-0006 and 0099-0007

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists
ADN – European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road
ATE - Acute Toxicity Estimate
BCF - Bioconcentration Factor
BEI - Biological Exposure Indices (BEI)
BOD – Biochemical Oxygen Demand
CAS No. - Chemical Abstracts Service Number
CLP – Classification, Labeling and Packaging Regulation (EC) No 1272/2008
COD – Chemical Oxygen Demand
EC – European Community
EC50 - Median Effective Concentration
EEC – European Economic Community
EINECS – European Inventory of Existing Commercial Chemical Substances
EmS-No. (Fire) - IMDG Emergency Schedule Fire
EmS-No. (Spillage) - IMDG Emergency Schedule Spillage
EU – European Union
ErC50 - EC50 in Terms of Reduction Growth Rate
GHS – Globally Harmonized System of Classification and Labeling of Chemicals
IARC - International Agency for Research on Cancer
IATA - International Air Transport Association
IBC Code - International Bulk Chemical Code
IMDG - International Maritime Dangerous Goods
IPRV - Ilgalaikio Poveikio Ribinis Dydis
IOELV – Indicative Occupational Exposure Limit Value
LC50 - Median Lethal Concentration
LD50 - Median Lethal Dose
LOAEL - Lowest Observed Adverse Effect Level
LOEC - Lowest-Observed-Effect Concentration
Log K_{oc} - Soil Organic Carbon-water Partitioning Coefficient
Log K_{ow} - Octanol/water Partition Coefficient
Log P_{ow} - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol and water
MAK – Maximum Workplace Concentration/Maximum Permissible Concentration
MARPOL - International Convention for the Prevention of Pollution
EU GHS SDS 0099-1020 and 0099-1021

NDS - Najwyższe Dopuszczalne Stezenie
NDSCh - Najwyższe Dopuszczalne Stezenie Chwilowe
NDSP - Najwyższe Dopuszczalne Stezenie Pulapowe
NOAEL - No-Observed Adverse Effect Level
NOEC - No-Observed Effect Concentration
NRD - Nevirsytinas Ribinis Dydis
NTP – National Toxicology Program
OEL - Occupational Exposure Limits
PBT - Persistent, Bioaccumulative and Toxic
PEL - Permissible Exposure Limit
pH – Potential Hydrogen
REACH – Registration, Evaluation, Authorisation, and Restriction of Chemicals
RID – Regulations Concerning the International Carriage of Dangerous Goods by Rail
SADT - Self Accelerating Decomposition Temperature
SDS - Safety Data Sheet
STEL - Short Term Exposure Limit
STOT - Specific Target Organ Toxicity
TA-Luft - Technische Anleitung zur Reinhaltung der Luft
TEL TRK – Technical Guidance Concentrations
ThOD – Theoretical Oxygen Demand
TLM - Median Tolerance Limit
TLV - Threshold Limit Value
TPRD - Trumpalaikio Poveikio Ribinis Dydis
TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von Gefahrstoffen in ortsbeweglichen Behältern
TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine
TRGS 900 - Technische Regel für Gefahrstoffe 900 – Arbeitsplatzgrenzwerte
TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte
TSCA - Toxic Substances Control Act
TWA - Time Weighted Average
VOC – Volatile Organic Compounds
VLA-EC - Valor Límite Ambiental Exposición de Corta Duración
VLA-ED - Valor Límite Ambiental Exposición Diaria
VLE – Valeur Limite D'exposition
VME – Valeur Limite De Moyenne Exposition
vPvB - Very Persistent and Very Bioaccumulative
WEL – Workplace Exposure Limit
WGK - Wassergefährdungsklasse

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.